


CLINICAL EEG


ELECTROENCEPHALOGRAPHY



Author and Subject Index
Volume 25, 1994

CLINICAL EEG

ELECTROENCEPHALOGRAPHY



Author and Subject Index
Volume 25, 1994

Index of Authors

- Anderer, P., 26
 Benbadis, Selim R., 142
 Bernad, Peter, 4:VI
 Bettoni, L., 156
 Bezanson, David, 44
 Bortone, E., 156
 Boutros, Nashaat, 44
 Bradshaw, C. Marshall, 48
 Budak, F., 40
 Cook, Patricia, 4:VI
 Dinner, Dudley S., 142
 Drake, Miles E., Jr., 46, 49, 153
 Duffy, Frank H., 4:VI
 Escobar-Izquierdo, A., 148
 Fonseca, Lineu C., 54
 Frank, Yitzchak, 136
 Giorgi, C., 156
 Guerra, R., 127
 Hikima, Akio, 13
 Hongou, Kazuhisa, 8, 104
 Hughes, J. R., 45, 99, 127, 4:VI
 Ilhan, A., 40
 Inoue, R., 30
 Itoh, Noboru, 164
 Iwanami, Akira, 50
 Jiang, Zheng-Yan, 81
 Jordan, Rebecca, 110
 Kanamori, Ryo, 50
 Kojima, Takuya, 115
 Komsuoglu, S., 40
 Konishi, Tohru, 8, 104
 Kurome, Takayoshi, 13
 Leuchter, A.F., 18
 Mancia, D., 156
 Martinez-Barros, M., 148
 Matsui, Nozomi, 164
 Matsui, Seiji, 164
 Matsuura, M., 36, 115
 Miller, E.N., 18
 Milstein, V., 122
 Murakami, Miyako, 8, 104
 Nagase, Y., 36
 Nagata, K., 30
 Newell, Sharon A., 59, 153
 Newton, T. F., 18
 Naganuma, Yoshihiro, 8, 104
 Nagashima, Kanji, 13
 Nakajima, Kazunori, 115
 Napolitano, Barbara, 136
 Niedermeyer, E., 86
 Nowack, William J., 110
 Ohta, Katsuya, 115
 Okada, Toshio, 8
 Okubo, Y., 36
 Onda, Hiroshi, 115
 Otsuka, Takayuki, 13
 Ozmenoglu, M., 40
 Padamadan, Hosi, 59
 Pakalnis, Ann, 59
 Patrick, Gloria, 1, 63
 Penney, Don W., 99
 Pourmand, Rahman, 76, 160
 Ramos-Peek, J., 148
 Roberts, Ronald H., 44
 Rodin, Ernst, 3:VI
 Romero-Figueroa, J., 148
 Saletu, B., 26
 Schear, Harley E., 47, 48, 49
 Schimicek, P., 26
 Seiden, Jessica A., 136
 Shinomiya, S., 30
 Small, J.G., 122
 Spencer, D. W., 122
 Stam, C. J., 94
 Stone, James L., 99
 Straumanis, John J., 63
 Struve, Frederick A., 1, 63
 Suga, Ichiro, 50
 Sunaga, Yasuo, 13
 Takahashi, N., 30
 Takizawa, Yuko, 81
 Tedrus, Gloria M.A., 54
 Terasaki, O., 36
 Thomeer, E.C., 94
 Toru, M., 36
 Trabattoni, G. R., 156
 Urakami, Y., 30
 van Woerkom, T.C.A.M., 94
 Wada, Yuji, 81
 Weate, Steven J., 59
 Weinmann, Robert L., 2:VI
 Weiner, H., 18
 Yagi, Shinichi, 8, 104
 Yamatani, Miwa, 8, 104
 Yoshino, Makoto, 115
 Zeitlhofer, J., 26

Index of Subjects

Age factor and, epileptic syndromes in children with SSE spikes, 54-58

- gender differences, with QEEG, 81-85
- Lennox-Gastaut syndrome, in the elderly? 142-147
- partial epilepsies in childhood, changing EEG foci, 104-109
- See also Children

AIDS and, QEEG, 18-25

Alpha rhythm and, agenesis of the corpus cal-

- losum, interhemispheric coherence, 36-39
- chronic marihuana use, with QEEG, 63-75
- coma, post-anoxic with theta pattern, 156-159
- gender differences, with QEEG during rest and photic stimulation, 81-85
- mental activation, 94-98

American Medical EEG Association, status of QEEG in clinical practice, 1994, 4:VI-XXII

Amplitude, EEG, and, asymmetry significance in clinical studies, 76-80

- gender differences, with QEEG, 81-85
- mental activation, asymmetry, 94-98
- Wernicke's syndrome, depressed, 148-152

Analog EEG and, digital EEG, editorial, 3:VI-VII

Anesthesia and, propofol, seizures and generalized fast activity, 110-114

Anoxia and, theta and alpha pattern coma, 156-159

Anticonvulsants and, benign childhood epilepsies with centrotemporal spike and AERP, 8-12

- See also Drugs

Apnea and, sleep, with periodic leg movements and epilepsy, 153-155

- premature infants with positive sharp waves, 127-135

Artifacts, EEG, and, automatic sleep spindle detection, 26-29

- QEEG in clinical practice, 4:VI-XXII

Attention and, consciousness function and definition, 86-93

- learning disabilities, ERP to an oddball auditory paradigm, 136-141
- QEEG in clinical practice, learning disability, 4:VI-XXII

Attention deficit hyperactivity disorder (ADHD) and, ERP to an oddball auditory paradigm in children, 136-141

Auditory event-related potentials and, benign childhood epilepsies with centrotemporal spike, effects of carbamazepine, 8-12

- children with learning disabilities with or without ADHD, 136-141
- schizophrenics, 50-53

Benign childhood epilepsy and, centrotemporal evoked spike, 54-58

- centrotemporal spike, AERP and effects of carbamazepine, 8-12
- centrotemporal spike foci changes with age, 104-109

Beta activity and, chronic marihuana use, with QEEG, 63-75

- gender differences in normal young adults, with QEEG, 81-85
- interhemispheric coherence and agenesis of the corpus callosum, 36-39
- Lennox-Gastaut syndrome in the elderly, 142-148
- propofol and seizures, 110-114

Biofeedback and, neurologic disorders, 48

Brainstem Auditory Evoked Response (BAER) and, head injury, 46-47

- locked-in syndrome, 40-43
- polydrug abuse, 1-7
- Wernicke's syndrome, 148-152
- See also Evoked potentials

Burst suppression pattern and, unusual clinical correlates, 160-163

Carbamazepine and, benign childhood epilepsies with centrotemporal spike, and AERP, 8-12

- chronic schizophrenia, delta activity, 115-121

Cardiac defect and, premature infants with positive sharp waves, 127-135

Central localization and, benign childhood epilepsies, spikes, 8-12, 54-58

- childhood partial epilepsies, spike foci changes with age, 104-109
- mental activation, EEG changes, 94-98
- premature infants, positive sharp waves, 127-135

Centrotemporal localization and, spikes in childhood epilepsy, 8-12, 54-58, 104-109

Cerebrovascular disorder and, amplitude asymmetry in EEG, 76-80

- locked-in syndrome, 40-43
- premature infants with positive sharp waves, 127-135

Children and, benign epilepsy with centrotemporal spike, carbamazepine and AERP, 8-12

- learning disabilities, ERP to an oddball auditory paradigm, 136-141
- partial epilepsies, changes in EEG foci, 104-109
- premature infants with positive sharp waves, 127-135
- P300 and ERP in epilepsy, 13-17
- somatosensory evoked spikes in epileptic syndromes, 54-58

Circadian rhythm and, sleep disorders, 48

Cognitive function and, benign childhood epilepsy with centrotemporal spike, AERP and carbamazepine, 8-12

- consciousness, function and definition, 86-93
- hyponatremia with PLEDs, 164-169
- P300 ERP in epileptic children, 13-17

Coherence, EEG, and, agenesis of the corpus callosum, 36-39

- QEEG in clinical practice, 4:VI-XXII

Coma and, consciousness, function and definition, 86-93

- post-anoxic theta and alpha pattern, 156-159

Complex partial seizures and, multiple sleep latency tests, 59-62

Consciousness and, function and definition, 86-93

- See also Cognitive function and Coma

Corpus callosum, agenesis, and, interhemispheric coherence, 36-39

Delta activity and, amplitude asymmetry, 76-80

- chronic marijuana use, with QEEG, 63-75
- chronic schizophrenia, 115-121
- gender differences, with QEEG, 81-85
- See also Slow activity

Desynchronization and, EEG changes during mental activation, 94-98

Digital EEG and, analog EEG, editorial, 3:VI-VII

- teletransmission, 49
- QEEG in clinical practice, 4:VI-XXII

Dipole source localization methodology and, QEEG in clinical practice, 4:VI-XXII

Discriminant function analysis and, QEEG in clinical practice, 4:VI-XXII

- QEEG in marijuana users, 63-75

Drowsiness and, frontal midline theta rhythm, 30-35

Drugs and, chronic schizophrenia, delta activity, 115-121

- epilepsies, benign childhood, 8-12
- marijuana users, with BAER, 1-7
- marijuana users, with QEEG, 63-75

- polydrug abuse, with BAER, 1-7
- premature infants with positive sharp waves, maternal drug abuse, 127-135
- sleep induction for EEG, 122-126

Elderly patients and, Lennox-Gastaut syndrome, 142-147

Epilepsy and, AERP in benign childhood epilepsy with centrotemporal spike, effects of carbamazepine, 8-12

- childhood partial epilepsies, changes in EEG foci with age, 104-109
- Consultation Clinic, Neuropsychiatric Institute, Uni. IL, Chicago, history, 99-103
- frontal midline theta rhythm, 30-35
- Lennox-Gastaut syndrome, in the elderly? 142-147
- multiple sleep latency tests, 59-62
- P300 ERP in children, 13-17
- QEEG in clinical practice, 4:VI-XXII
- sleep apnea, with periodic leg movements, 153-155
- somatosensory evoked spikes in children, 54-58
- See also Seizures

Equipment, EEG, analog or digital? editorial 3:VI-VII

- QEEG in clinical practice, 4:VI-XXII

Event related potential (ERP) and, benign childhood epilepsy with centrotemporal spike, effects of carbamazepine, 8-12

- epileptic children, 13-17
- N1 component in schizophrenia, 50-53
- oddball auditory paradigm in children with learning disabilities, 136-141
- QEEG in clinical practice, 4:VI-XXII
- See also Evoked Potentials

Evoked potentials and, benign childhood epilepsy with centrotemporal spike, effects of carbamazepine, 8-12

- children with learning disabilities, 136-141
- epileptic syndromes in children, 13-17, 54-58
- head injury, 46-47
- locked-in syndrome, 40-43
- N1 component in schizophrenia, 50-53
- polydrug abuse, 1-7
- QEEG in clinical practice, 4:VI-XXII
- Wernicke's syndrome, 148-152

Fast activity, See Beta activity

Febrile convulsions and, SSEP in children, 54-58

Focal seizures and, frontal midline theta rhythm, 30-35

Frontal localization and, childhood partial epilepsies, changes in spike foci with age, 104-109

- chronic marihuana use, with QEEG, 63-75
- midline theta rhythm, 30-35
- Gender** and, QEEG at rest and during photic stimulation in normal young adults, 81-85
- Generalized seizures** and, frontal midline theta rhythm, 30-35
- Lennox-Gastaut syndrome, in the elderly? 142-147
- multiple sleep latency tests, 59-62
- P300 ERP in epileptic children, 13-17
- SSEP in children, 54-58
- See also Epilepsy and Seizures
- Gibbs, Frederic A.**, and, history of Neuropsychiatric Institute, Uni. of IL, Chicago, 99-103
- Grand mal pattern** and, propofol and seizures, 110-114
- Lennox-Gastaut syndrome, in the elderly? 142-147
- Headache** and, frontal midline theta rhythm, 30-35
- Head injury** and, biofeedback, 48
- EEG, 45-49
- evoked potentials, 46-47
- medical-legal aspects, 45
- neuropsychiatric problems, 44
- neuropsychological evaluation, 44
- QEEG in clinical practice, 4:VI-XXII
- sleep disorders, 47
- Hemorrhage, intracerebral**, and, premature infants with positive sharp waves, 127-135
- HIV infection** and, QEEG, 18-25
- Hyaline membrane disease** and, premature infants with positive sharp waves, 127-135
- Hypnotics** and, sleep EEG, 122-126
- Hyponatremia** and, periodic lateralized epileptiform discharges, 164-169
- Hypoxia** and, burst suppression pattern, 160-163
- Infants** and, prematures with positive sharp waves, prediction of outcomes, 127-135
- Interhemispheric coherence, EEG**, and, agenesis of the corpus callosum, 36-39
- Jacksonian seizures** and, hyponatremia, with PLEDs, 164-169
- Learning disorders**, and biofeedback, 48
- ERP to an oddball auditory paradigm in children, 136-141
- QEEG in clinical practice, 4:VI-XXII
- Leg movements, periodic**, and, sleep apnea in epilepsy, 153-155
- Lennox Gastaut syndrome** and, the elderly? 142-147
- Leukomalacia, periventricular** and, premature infants with positive sharp waves, 127-135
- Locked-in syndrome** and, case report, 40-43
- Magnetic Resonance Imaging (MRI)** and, locked-in syndrome, case report with EEG, 40-43
- Wernicke's syndrome, 148-152
- Managed care** and, the dark side, editorial, 2: VI-VII
- Marihuana users** and, BAER, 1-7
- QEEG sequelae, replication study and initial discriminant function analysis, 63-75
- Medical-legal aspects** and, EEG, 45
- Mental activation** and, consciousness, function and definition, 86-93
- EEG changes, 94-98
- See also Evoked potentials
- Multiple sleep latency tests** and, epilepsy, 59-62
- Myoclonus** and, burst suppression pattern, 160-163
- propofol anesthesia, with generalized fast activity, 110-144
- sleep, periodic leg movements, 153-155
- Neuroleptics** and, chronic schizophrenia, with delta activity, 115-121
- See also Drugs
- Neuropsychiatric Institute** and, University of Illinois Medical Center, Chicago, history, 99-103
- Neuropsychological performance tests**, and, AIDs and asymptomatic HIV infection, with QEEG, 18-25
- head injury, 44
- neurological disorders, 44-45
- sleep induction of EEG, 122-126
- N1 component** and, auditory passive event-related potential paradigm, in schizophrenics, 50-53
- Occipital localization** and, childhood partial epilepsies, changes in spike foci with age, 104-109
- mental activation, EEG changes, 94-98
- Parietal localization** and, changes in spike foci with age in childhood partial epilepsies, 104-109
- hyponatremia with PLEDs, 164-169
- somatosensory evoked spikes in children with epilepsy, 54-58
- Partial seizures** and, changes in EEG foci with age in childhood, 104-109
- multiple sleep latency tests, 59-62
- SSEP in children, 54-58
- Periodic complexes** and, burst suppression pattern, unusual clinical correlates, 160-163
- hyponatremia with PLEDs, 164-169
- Periodic leg movements** and, sleep apnea in epilepsy, 153-155

Petit mal variant and, Lennox-Gastaut syndrome, in the elderly? 142-147

Photic stimulation and, QEEG, gender differences in normal young adults, 81-85

Polysomnography and, automatic sleep-spindle detection 26-29

—head injury, 47

—sleep apnea and periodic leg movements in epilepsy, 153-155

Premature infants and, positive sharp waves, EEG to predict outcome, 127-135

Propofol and, seizures, with generalized fast activity, 110-114

Psychiatric patients and, chronic marijuana use, with QEEG, 63-75

—delta activity in chronic schizophrenia, 115-121

—head injury, 44-45

—hyponatremia, with PLEDs, 164-169

—N1 component during event-related potential paradigm, 50-53

—polydrug abuse, with BAER, 1-7

—QEEG in clinical practice, 4:VI-XXII

Psychological evaluation tests and, AIDS and asymptomatic HIV infection, with QEEG, 18-25

—head injury, 44

—neurological disorders, 44-45

—sleep induction of EEG, 122-126

P300 and, benign childhood epilepsy with centrotemporal spike, effects of carbamazepine, 8-12

—children with learning disabilities, an oddball auditory paradigm, 136-141

—epileptic children, 13-17

—head injury, 46-47

Quantitative EEG (QEEG) and, AIDS and

asymptomatic HIV-infection patients, 18-25

—automatic sleep spindle detection, 26-29

—chronic marijuana use replication study and initial discriminant function analysis, 63-75

—digital EEG data, teletransmission, 49

—gender differences in normal young adults, 81-85

—status in clinical practice, 1994, 4:VI-XXII

REM sleep and, sleep apnea, with periodic leg

movements in epilepsy, 153-155

Reticular formation and, P300 in generalized

epilepsy, 13-17

Schizophrenia and, chronic marijuana use,

with QEEG, 63-75

—clinical significance of diffuse delta activity, 115-121

—hyponatremia with PLEDs, 164-169

—N1 component during event-related potential paradigm, 50-53

Secondal and, sleep induction for EEG, 122-126

Seizures and, benign childhood epilepsy, with AERP and carbamazepine, 8-12

—biofeedback, 48

—burst suppression pattern, 160-163

—childhood partial epilepsies, changes in EEG foci with age, 104-109

—ERP in children, 13-17

—frontal midline theta rhythm, 30-35

—history of Uni. IL NPI, Chicago, 99-103

—hyponatremia, with PLEDs, 164-169

—Lennox-Gastaut syndrome in the elderly, 142-147

—medical-legal aspects of EEG, 45

—multiple sleep latency tests, 59-62

—premature infants with positive sharp waves, 127-135

—propofol with generalized fast activity, 110-114

—QEEG in clinical practice, 4:VI-XXII

—sleep apnea and periodic leg movements, 153-155

—SSE spikes in children, 54-58

Sharp waves and, hyponatremia with PLEDs, 164-169

—premature infants, EEG to predict outcome, with positive sharp waves, 127-135

Sleep and, apnea and periodic leg movements in epilepsy, 153-155

—consciousness, function and definition, 86-93

—disorders, with EEG, 47-49

—head injury, EEG recording, 45-47

—induction for EEG, technical note, 122-126

—multiple sleep latency tests in epilepsy, 59-62

—spindle detection, automatic procedure, 26-29

Slow activity and, AIDS and asymptomatic HIV infection, with QEEG, 18-25

—chronic marijuana use, with EEG, 63-75

—chronic schizophrenia, 115-121

—focal cerebral insult, and amplitude asymmetry, 76-80

—frontal midline theta rhythm, physiological or abnormal discharge, 30-35

—gender differences in normal young adults, with QEEG, 81-85

—head injury, 45-46

—hyponatremia, with PLEDs, 164-169

—interhemispheric coherence in agenesis of the corpus callosum, 36-39

—Wernicke's syndrome, 148-152

Snoring and, sleep apnea with periodic leg movements in epilepsy, 153-155

Somatosensory evoked potential (SSEP)

and, epileptic syndromes in children, 54-58

- locked-in syndrome, 40-43
- Wernicke's syndrome, 148-152
- See also Evoked potentials
- Sonograms** and, premature infants with positive sharp waves, 127-135
- Spectral analysis** and, QEEG in clinical practice, 4:VI-XXII
- Spectral coherence** and, QEEG in clinical practice, 4:VI-XXII
- Spike and wave discharges** and, Lennox-Gastaut syndrome, in the elderly? 142-147
- Spikes** and, benign childhood epilepsy with centrotemporal spike, AERP, and carbamazepine, 8-12
 - childhood partial epilepsies, changes in foci with age, 104-109
 - children with epileptic syndromes, SSEP spikes, 54-58
 - frontal midline theta rhythm, 30-35
 - hyponatremia with PLEDs, 164-169
 - Lennox-Gastaut syndrome in the elderly, 142-147
- Spindles**, sleep, and, automatic detection procedure, 26-29
- Surgery** and, propofol, seizures and generalized fast activity, 110-114
- Technique, EEG**, and, analog or digital recording equipment, editorial, 3:VI-VII
 - QEEG in clinical practice, 4:VI-XXII
 - sleep induction, 122-126
- Telephonic EEG transmission** and, digitized EEG, 49
- Temporal localization** and, childhood partial epilepsies, changes in spike foci with age, 104-109
 - frontal midline theta rhythm, with spikes, 30-35
 - Lennox-Gastaut syndrome in the elderly, spikes, 142-147
 - mental activation, EEG changes, 94-98
 - N1 component during event-related potential paradigm, in schizophrenics, 50-53
- premature infants, positive sharp waves, 127-135
- P300 ERP in children, with temporal lobe epilepsy, 13-17
- Thalamus** and, P300 in children with idiopathic generalized epilepsy, 13-17
- THC (marihuana) users** and, BAER, 1-7
- Theta activity** and, chronic marihuana use, with QEEG, 63-75
 - frontal midline rhythm, differentiation of physiological from abnormal discharge, 30-35
 - gender differences in normal young adults, with QEEG, 81-85
 - interhemispheric coherence in agenesis of the corpus callosum, 36-39
 - post-anoxic coma, with alpha pattern and theta pattern, 156-159
 - See also Slow activity
- Topographic mapping** and, automatic sleep spindle detection, 26-29
 - chronic marihuana use, replication study and initial discriminant function analysis, 63-75
 - See also Quantitative EEG
- Towler, Martin L**, in memoriam, 1:VI
- University of Illinois Medical Center, Chicago**, and, history of Neuropsychiatric Institute, 99-103
- Vigilance** and, consciousness, function and definition, 86-93
- Violence** and, medical-legal aspects of EEG, 45
- Visual evoked response** and, head injury, 46-47
 - See also Evoked potentials
- Wernicke's syndrome** and, electrophysiologic and neuroimaging findings, 148-152
- Zolpidem** and, sleep induction for EEG revisited, technical note, 122-126

